

GUMICE DISINFECTING HAND CLEANER

1. Chemicals and corporate identity

Product identification FUKKOL GUMICE DISINFECTING HAND CLEANER

Product number 100370

KALEN INTERATIONAL LTD

Suppliers Hongkong Kowloon New Po Kong Fong Street No. 10 new treasure

Center Building 1 room 6 words

Emergency telephone + 852-2420 2444

Fax + 852-2485 1418

Manufacturer KALEN LUBRICANTS TECHNOLOGY (HUI ZHOU) LTD.

2. Risk overview

EU standard classification

GB 13690-92 Classification of

common dangerous

chemicals

Physical / chemical Flammable.

Environmental hazard SEM Risco de USO normal.

Health hazard may cause long-term adverse effects on the aquatic environment.

Flame burst hazard This product is flammable.

Not belong





Danger sign

Composition

Ingredients CAS # Proportion 55.0% - 70.0% Deionized water 7732-18-5 Efficient decontamination and 25.0% - 35.0% adsorption factors

4. First aid measures

Inhalation No data display

Skin contact Clean the contact area with water.

To wash the eyelids, with the flow of water or saline. Seek Eye contact medical assistance

This product is likely to cause serious damage to the lungs, such as pneumonia, should immediately seek medical Eating treatment, such as vomiting, should continue to keep his head under the thigh and observe whether it is difficult to breathe.

5. Fire control measures

Use foam, dry chemical reagent (dry powder), or carbon dioxide Fire Extinguisher (CO2) fire.

Hazardous combustion Carbide, hydride, water products

Firefighters to wear a gas mask, wearing a full body fire Flash point (degrees C) service, in the upper hand to fire. As far as possible the Fire extinguishing containers from fire to open. Water spray to keep fire cooling procedure container, until the end of the fire. If the containers in the fireground have discoloration or generate sound from the safety relief devices, must be immediately evacuated.

Not listed

Printed in CHINA



Fire extinguishing agent: foam, dry powder, carbon dioxide, sand.

6. Unexpected overflow handling measures

Small leakage

Absorb or absorb with sand or other non combustible materials and sweeping tools.

Large leakage

Build a dike or dig a hole for shelter; cover with foam to reduce steam disaster. The explosion-proof pump is transferred to the tank car or special collector, and is recovered or transported to the waste disposal place for disposal.

7. Operation disposal and storage

Closed operation, pay attention to ventilation. Operators must be trained in strict compliance with the operating rules.

Operating notes

Stay away from fire, heat, smoking is prohibited in the workplace. Avoid contact with oxidizing agent. When transporting light light, to prevent damage to packaging and containers.

Mechanical equipment and tools that are prohibited from using the easy to produce sparks.

direct sunlight. Keep container seal. Should be separate from the oxidant. Storage room lighting, ventilation and other facilities should be used in explosion-proof type, switch located in the warehouse. Equipped with corresponding varieties and quantities of fire equipment. Bottled stacking is not too large, should stay away

from the wall, from the top of column, and the necessary fire

The temperature in the warehouse is not more than 50. To prevent

Stored in a cool, ventilated warehouse.

inspection walkway.

Storage precautions

8. Exposure control and personal protection

Occupational exposure limit

Temporary data display

The information in this publication is based on our experience and reports from customers. There are many factors outside our control arknowledge which affect the use and performance of our products for which reason the information in this publication is given without responsibility.

Printed in CHINA.

Date of revision: May, 1st, 2020

Away from fire and heat.



Chemical marking symbol



process control

Production process closed, full ventilation. Provide safe shower and eye washing equipment.

Inhalation

Generally do not need special protection

Personal protection

Body protection Wear anti-static work clothes. Hand protection Wear general protective gloves.

Its

Smoking is prohibited in the workplace.

9. Physical and chemical properties

Product status

0intment

Appearance and smell

Blue and pleasant smell

Specific gravity 25℃, g/cm³

0.95-1.0

PH

6.5 \sim 7.5

Solubility Volatile organic compounds (%) g/1: 0

1bs./gal:0

dissolve in water

10. Stability and chemical reaction data

Stability

Stable

Risk aggregation

Will not produce

Avoid measures

Strong oxidant

Printed in CHINA.



Material attention

No

The risk of material after decomposition

No

11. Toxicity data

No data display

12. Ecological data

Ecological toxicity

No data display

Environmental degradation

No data display

13. Waste information

Waste method

The empty drum shall be recovered, regenerated or abandoned by the institution of a qualified or executing license, and be careful in any case to make sure that it is in conformity with the national laws and local regulations.

14. Transport information

Transport mode

Transport by ordinary product.

Packing method

Plastic barrels; plastic bottles;; Metal bucket (pot).

The corresponding variety and quantity of fire fighting equipment and leakage emergency treatment equipment should be equipped with the corresponding variety and quantity of the transport vehicle.

Transportation matters needing attention

It's better to transport early and late in summer. The tank (tank) used in transportation should be connected with the chain, and the holes can be arranged in the groove to reduce the vibration and generate static electricity.

With no oxidant edible chemical conventional mixing luck.

Transit should prevent accumulation of insolation, rain, high temperature resistant. Should stay away from the fire, heat,

Printed in CHINA.

The information in this publication is based on our experience and reports from customers. There are many factors outside our control and knowledge which affect the use and performance of our products for which reason the information in this publication is given without responsibility.



high temperature zone.

The vehicle exhaust pipe of the vehicle must be equipped with a fire resistance device, which prohibits the use of easy to produce sparks of machinery and equipment and tools for loading and unloading.

15. Regulation information

EU standard classification Combustible.

Irritation. The classification of the product is carried out according to the test data of the whole or part of the product.

EU label

F, Xn Symbol:

Risk characteristics

R65; harmful: If swallowing can cause lung injury.

S43; In case of fire, use foam, dry chemical preparation (dry powder) or carbon dioxide

S9; Place the container in a well ventilated place. S16; Stay away from fire, please do not smoke.

S33; Take ESD preventive measures.

S36/37; Wear suitable protective clothing and gloves. S57: Use appropriate containers to avoid environmental pollution

Safety recommendations

S62; after eating do not induce vomiting: seek medical advice immediately and show this container or its logo.

16. Other information

Reference:

Change description: No

Other information: The following laws and regulations and standards have made corresponding regulations on the safe use, storage, transportation, loading and unloading, classification and marking of chemicals.:

Law Of The People's Republic Of China On Safe Production. (The tenth meeting of the standing committee of the 12th National People's Congress was adopted in Aug., 31th, 2014)

The Occupational-Disease-Prevention Law Of The People's Republic Of China. (The 24th meeting of the standing committee of the ninth National People's Congress was adopted in Oct., 27th, 2001)

Printed in CHINA.



Environmental Protection Law Of The People's Republic Of China. (The 11th meeting of the standing committee of the seventh National People's Congress was adopted in Dec., 26th, 1989.)

Regulations On The Safety Management Of Hazardous Chemicals. (The 44th executive meeting of the state council adopted the amendment in Feb., 16th, 2011.)

 \langle The safety production license ordinance. \rangle (The 34th executive meeting of the state council adopted in Jan., 7th, 2004.)

Disclaimer.:

The content of this material safety data is taken from the source of the company's reliable sources. However, the information provided by the content of these information, the company has not included any guarantee, presentation and implied. For the operation, storage, use and disposal of this product, the environment has exceeded the scope of the company's cognition, and the company does not assume responsibility for any operation, storage, use and disposal of any operation, storage, use and disposal of the products related to this product. This material safety data is prepared for this purpose and can only be used for this product, when the product is used as a component of the other products, and can not be applied to the material safety data. Release date: May, 1st, 2020